

### HyperTone<sup>®</sup> Stains VOC Calculation Chart

Find the stain color you are using and find the number that corresponds to the amount of stain glide you are adding. This will give you the total VOC for your particular mix. Check VOC regulations in your local area to be sure you are compliant. All HyperTone<sup>®</sup> Stains are under 250 VOC's prior to adding StainGlide.

| OUNCES ADDED | JET BLACK | AMBER OAK | BLUE | CABERNET | DEEP RED | GOLD | HICKORY | ONYX | SLATE | TOBACCO | WHITE | PROVINCIAL | CLEAR | NEUTRAL BASE |
|--------------|-----------|-----------|------|----------|----------|------|---------|------|-------|---------|-------|------------|-------|--------------|
| 1            | 175       | 189       | 179  | 171      | 163      | 165  | 184     | 174  | 160   | 170     | 146   | 183        | 249   | 198          |
| 2            | 179       | 193       | 183  | 175      | 167      | 169  | 187     | 178  | 164   | 174     | 150   | 187        | 253   | 202          |
| 3            | 183       | 197       | 187  | 179      | 171      | 173  | 191     | 182  | 168   | 178     | 154   | 190        | 256   | 205          |
| 4            | 187       | 200       | 191  | 182      | 175      | 177  | 195     | 186  | 172   | 181     | 158   | 194        | 260   | 209          |
| 5            | 191       | 204       | 195  | 186      | 179      | 181  | 199     | 189  | 176   | 185     | 162   | 198        | 263   | 213          |
| 6            | 195       | 208       | 198  | 190      | 183      | 185  | 202     | 193  | 180   | 189     | 166   | 202        | 266   | 216          |
| 7            | 198       | 211       | 202  | 194      | 186      | 189  | 206     | 197  | 184   | 193     | 170   | 205        | 269   | 220          |
| 8            | 202       | 215       | 206  | 197      | 190      | 192  | 210     | 200  | 188   | 196     | 174   | 209        | 272   | 223          |
| 9            | 206       | 218       | 209  | 201      | 194      | 196  | 213     | 204  | 191   | 200     | 178   | 212        | 275   | 227          |
| 10           | 209       | 222       | 213  | 205      | 197      | 200  | 217     | 208  | 195   | 204     | 182   | 216        | 278   | 230          |
| 11           | 213       | 225       | 216  | 208      | 201      | 203  | 220     | 211  | 198   | 207     | 185   | 219        | 281   | 233          |
| 12           | 216       | 228       | 219  | 212      | 204      | 207  | 223     | 215  | 202   | 211     | 189   | 223        | 284   | 237          |
| 13           | 219       | 232       | 223  | 215      | 208      | 210  | 227     | 218  | 205   | 214     | 192   | 226        | 287   | 240          |
| 14           | 223       | 235       | 226  | 218      | 211      | 213  | 230     | 221  | 209   | 217     | 196   | 229        | 290   | 243          |
| 15           | 226       | 238       | 229  | 222      | 215      | 217  | 233     | 225  | 212   | 221     | 199   | 232        | 293   | 246          |
| 16           | 229       | 241       | 233  | 225      | 218      | 220  | 236     | 228  | 216   | 224     | 203   | 236        | 296   | 249          |
| 17           | 232       | 244       | 236  | 228      | 221      | 223  | 240     | 231  | 219   | 227     | 206   | 239        | 298   | 252          |
| 18           | 236       | 248       | 239  | 231      | 225      | 227  | 243     | 234  | 222   | 230     | 210   | 242        | 301   | 255          |

\*VOC minus water and exempt solvents and meets national rule limit 400g/L and South Coast Architectural coating limit of 250 g/L.

